

Correction Instruction

Vendor Invoice Management - Invoice Solution

VIM 7.6 SPS3, CI No. 129

Document Version: May 30, 2022

www.opentext.com

NORTH AMERICA +800 499 6544 • UNITED STATES +1 847 267 9330 • GERMANY +49 89 4629 0

UNITED KINGDOM +44 0 1189 848 000 • AUSTRALIA +61 2 9026 3400

Summary

Note Number : VIM 7.6-SPS3-CI-129
Date Released: 5/30/2022
Date Revised :
Revision No :
Key words : **Reminders, VIM Notifications, Posted Approval, One Step Approval**

Disclaimer



OpenText strongly recommends validating and testing this Correction Instruction in the test system. Pre-requisite mentioned below for the implementation of the CI to be followed before implementation of the fix. Beyond the installation of this patch as explained below, further adjustments to product settings or adjustments to customer specific extensions might be required

Symptom

Reminders for Posted Approval don't work when One Step Approval is triggered.

Pre-Requisite

VIM 7.5 , VIM 16.3

Implementation Instructions

Steps 1-9 and 11-21 are for both versions.

Step 10 is only specific for 16.3/20.4 (HANA) systems.

www.opentext.com

NORTH AMERICA +800 499 6544 • UNITED STATES +1 847 267 9330 • GERMANY +49 89 4629 0

UNITED KINGDOM +44 0 1189 848 000 • AUSTRALIA +61 2 9026 3400

Solution

Step 1

Go to SE37 and search for "/OPT/VIM_PROCESS_CONTROLLER". Open it in Edit mode.

Step 2

In Data declarations, search for the following code context:

```
l_proc_chk TYPE /opt/vw_proc_chk,  
  l_option TYPE /opt/vim_t801,  
*   l_approval_id TYPE /opt/vim_t801-optionid, VIMI-14932  
  l_approval_id TYPE /ptgwfi/z_const-zconst, "VIMI-14932
```

Step 3

Add the following code below the searched context:

```
l_approval_id_const TYPE /ptgwfi/z_const-zvalue, "VIMI-29524  
  l_approval_id_others TYPE /ptgwfi/z_const-zvalue, "VIMI-29524
```

Step 4

The code should now look as follows:

```
27   DATA : l_head TYPE /opt/vim_head,  
28           l_user_option TYPE /opt/vim_t802,  
29           objectid TYPE balnrext,  
30           l_return TYPE bapiret2,  
31           t_return TYPE TABLE OF bapiret2,  
32           l_curr_proc_type TYPE /opt/vim_head-curr_proc_type,  
33           old_proc_type TYPE /opt/vim_head-curr_proc_type,  
34           new_proc_type TYPE /opt/vim_head-curr_proc_type,  
35           p_wiid TYPE swwihead-wi_id,  
36           flowid TYPE /opt/docflowid,  
37           old_flowid TYPE /opt/docflowid,  
38           lt_actors TYPE tswfactor,  
39           l_proc_chk TYPE /opt/vw_proc_chk,  
40           l_option TYPE /opt/vim_t801,  
41   *       l_approval_id TYPE /opt/vim_t801-optionid, VIMI-14932  
42           l_approval_id TYPE /ptgwfi/z_const-zconst, "VIMI-14932  
43           l_approval_id_const TYPE /ptgwfi/z_const-zvalue, "VIMI-29524  
44           l_approval_id_others TYPE /ptgwfi/z_const-zvalue, "VIMI-29524  
45           l_srm_email TYPE /opt/vim_t801-optionid,  
46           l_sendback_id TYPE /opt/vim_t801-optionid,
```

www.opentext.com

NORTH AMERICA +800 499 6544 • UNITED STATES +1 847 267 9330 • GERMANY +49 89 4629 0

UNITED KINGDOM +44 0 1189 848 000 • AUSTRALIA +61 2 9026 3400

Step 5

Search for the following code context:

```
CALL FUNCTION '/OPT/VIM_READ_CONSTANT'  
  EXPORTING  
    prod_code = '005'  
    param_name = 'APPROVAL_OPTION'  
  IMPORTING  
    param_value = l_approval_id  
  EXCEPTIONS  
    not_found = 1  
    OTHERS = 2.
```

Step 6

Replace it with the following code:

```
CLEAR l_approval_id_const. "VIMI-29524  
  
CALL FUNCTION '/OPT/VIM_READ_CONSTANT'  
  EXPORTING  
    prod_code = '005'  
    param_name = 'APPROVAL_OPTION'  
  IMPORTING  
*   param_value = l_approval_id "VIMI-29524  
    param_value = l_approval_id_const "VIMI-29524  
  EXCEPTIONS  
    not_found = 1  
    OTHERS = 2.  
  SPLIT l_approval_id_const AT ',' INTO l_approval_id l_approval_id_others.  
"VIMI-29524
```

www.opentext.com

NORTH AMERICA +800 499 6544 • UNITED STATES +1 847 267 9330 • GERMANY +49 89 4629 0

UNITED KINGDOM +44 0 1189 848 000 • AUSTRALIA +61 2 9026 3400

Step 7

The code should now look as follows:

```
214
215 CALL FUNCTION '/OPT/VIM_READ_CONSTANT'
216 EXPORTING
217     prod_code = '005'
218     param_name = 'RESTART_DP'
219 IMPORTING
220     param_value = l_trigger_dp
221 EXCEPTIONS
222     not_found = 1
223     OTHERS = 2.
224
225 CLEAR l_approval_id_const.                                "VIMI-29524
226
227 CALL FUNCTION '/OPT/VIM_READ_CONSTANT'
228 EXPORTING
229     prod_code = '005'
230     param_name = 'APPROVAL_OPTION'
231 IMPORTING
232     * param_value = l_approval_id                        "VIMI-29524
233     param_value = l_approval_id_const                    "VIMI-29524
234 EXCEPTIONS
235     not_found = 1
236     OTHERS = 2.
237 SPLIT l_approval_id_const AT ',' INTO l_approval_id l_approval_id_others. "VIMI-29524
238 *Begin of VIMI-15719/ccheemar
239 CALL FUNCTION '/OPT/VIM_READ_CONSTANT'
240 EXPORTING
241     prod code = '005'
```

Step 8

Save and Activate

www.opentext.com

NORTH AMERICA +800 499 6544 • UNITED STATES +1 847 267 9330 • GERMANY +49 89 4629 0

UNITED KINGDOM +44 0 1189 848 000 • AUSTRALIA +61 2 9026 3400

Step 9

Go to SE38 and search for "/OPT/V1001". Open in edit mode.

Step 10

Expand Methods and select "Call Dashboard" as shown in the image below. Click on Program:

The screenshot shows the SAP SE38 interface for object type /OPT/V1001. The 'Program' tab is selected. The 'Methods' folder is expanded, and the 'CallDashboard' method is highlighted. The following table lists the methods and their descriptions:

Method Name	Description
IndexDocument.ExistenceCheck	Check existence of object
IndexDocument.CheckRules	CheckRules
IndexDocument.CreateDocument	Create Document
IndexDocument.CheckDuplicates	Check Duplicates
IndexDocument.CallDashboard	CallDashboard
IndexDocument.Display	Display object
IndexDocument.PreProcess	PreProcess
IndexDocument.Preprocess_OCR	Preprocess_OCR
IndexDocument.PreProcess_New	PreProcess_New
IndexDocument.Process_Control	Process_Control
IndexDocument.Await_Approval	Await_Approval
IndexDocument.Await_Confirmation	Await_Confirmation
IndexDocument.Preprocess_Non_OCR	Preprocess_Non_OCR

Step 11

Search for the following code context:

```
begin_method calldashboard changing container.  
*DATA l_approval_id TYPE /opt/vim_t801-optionid. "VIMI-14932  
DATA l_approval_id TYPE /ptgwf/const. "VIMI-14932
```

www.opentext.com

NORTH AMERICA +800 499 6544 • UNITED STATES +1 847 267 9330 • GERMANY +49 89 4629 0

UNITED KINGDOM +44 0 1189 848 000 • AUSTRALIA +61 2 9026 3400

Step 12

Add the following code below the searched context:

```
DATA l_approval_id_const TYPE /ptgwfi/z_const-zvalue.      "VIMI-29524
DATA l_approval_id_others TYPE /ptgwfi/z_const-zvalue.     "VIMI-29524
```

Step 13

The code should look as follows:

```
44| begin_method calldashboard changing container.
45| *DATA l_approval_id TYPE /opt/vim_t801-optionid. "VIMI-14932
46| DATA l_approval_id TYPE /ptgwfi/const.          "VIMI-14932
47| DATA l_approval_id_const TYPE /ptgwfi/z_const-zvalue.      "VIMI-29524
48| DATA l_approval_id_others TYPE /ptgwfi/z_const-zvalue.     "VIMI-29524
49| DATA lcl_indexer TYPE REF TO /opt/cl_vim_doc_processor.
50| DATA l_wftask TYPE /opt/vim_t801-wftask.
51| DATA l_dfstatus TYPE /opt/docstatus. "Document Create Failed Status
52| DATA l_dsstatus TYPE /opt/docstatus. "Document Create Success Status
53| DATA l_ddstatus TYPE /opt/docstatus. "Sent to Document Create Status
```

Step 14

Search for the following code context:

```
CALL FUNCTION '/OPT/VIM_READ_CONSTANT'
EXPORTING
  prod_code = '005'
  param_name = 'APPROVAL_OPTION'
IMPORTING
  param_value = l_approval_id
EXCEPTIONS
  not_found = 1
  OTHERS = 2.
```

```
* start of change VIMI-14932
IF l_approval_id CS
  lcl_indexer->/opt/if_cp_process_option~option_data-optionid.
```

www.opentext.com

NORTH AMERICA +800 499 6544 • UNITED STATES +1 847 267 9330 • GERMANY +49 89 4629 0

UNITED KINGDOM +44 0 1189 848 000 • AUSTRALIA +61 2 9026 3400

Step 15

Replace it with the following code:

```
CLEAR l_approval_id_const. "VIMI-29524

CALL FUNCTION '/OPT/VIM_READ_CONSTANT'
EXPORTING
  prod_code = '005'
  param_name = 'APPROVAL_OPTION'
IMPORTING
*   param_value = l_approval_id "VIMI-29524
  param_value = l_approval_id_const "VIMI-29524
EXCEPTIONS
  not_found = 1
  OTHERS = 2.
SPLIT l_approval_id_const AT ',' INTO l_approval_id l_approval_id others.
"VIMI-29524

* start of change VIMI-14932
IF l_approval_id CS
  lcl_indexer->/opt/if_cp_process_option~option_data~optionid
  OR l_approval_id others CS "VIMI-
29524
  lcl_indexer->/opt/if_cp_process_option~option_data~optionid. "VIMI-
29524
```

www.opentext.com

NORTH AMERICA +800 499 6544 • UNITED STATES +1 847 267 9330 • GERMANY +49 89 4629 0

UNITED KINGDOM +44 0 1189 848 000 • AUSTRALIA +61 2 9026 3400

Step 16

The code should now look as follows:

```
318 "swc_set_element container 'PROC_DET_SEQ' lcl_indexer->proc_det_seq.
319 * Set the Not First Pass flag
320 lcl_indexer->index_header-nofirstpass = 'X'.
321
322 CLEAR l_approval_id_const. "VIMI-29524
323
324 CALL FUNCTION '/OPT/VIM_READ_CONSTANT'
325 EXPORTING
326   prod_code   = '005'
327   param_name  = 'APPROVAL_OPTION'
328 IMPORTING
329   * param_value = l_approval_id "VIMI-29524
330   param_value = l_approval_id_const "VIMI-29524
331 EXCEPTIONS
332   not_found   = 1
333   OTHERS      = 2.
334 SPLIT l_approval_id_const AT ',' INTO l_approval_id l_approval_id_others. "VIMI-29524
335
336 * start of change VIMI-14932
337 IF l_approval_id CS
338   lcl_indexer->/opt/if_cp_process_option-option_data-optionid
339 OR l_approval_id_others CS "VIMI-29524
340   lcl_indexer->/opt/if_cp_process_option-option_data-optionid. "VIMI-29524
341
342
343 * IF lcl_indexer->/opt/if_cp_process_option-option_data-optionid
344 *   EQ l_approval_id.
345 * end of change VIMI-14932
346 * CALL METHOD lcl_indexer->update1 ( ). "VIMI-9301
```

Step 17

Save and Activate

Step 18

Go to SM30 and open table "/PTGWFI/Z_CONST" in edit mode.

www.opentext.com

NORTH AMERICA +800 499 6544 • UNITED STATES +1 847 267 9330 • GERMANY +49 89 4629 0

UNITED KINGDOM +44 0 1189 848 000 • AUSTRALIA +61 2 9026 3400

Step 19

Search for the following Product code and Constant:

Another entry

Product Code	005
Product Version	
Constant	APPROVAL_OPTION

Step 20

Add "2021" as the value for this entry as shown below.

Change View "WebFlow Constant Table": Overview

New Entries

Pr... Version	Constant	Descrn	Value
005	APPROVAL_OPTION	Option Id for Approval Workflow	2015,2021
005	APP_DOCU_URL	URL to show Configuration Documentation for Document Processing Application	http://www.opentext.com
005	ARCH_OBJECT_DEL	Choose the delete flag option (2 or 3)	2
005	AR_OBJECT_DETRM_FM	Customer logicFM to determine archive object type	
005	AR_OBJECT_FROM_DP	If set to 'X', AR object in VIM_1HEAD will be derived from DP doctype	

Step 21

Save.

www.opentext.com

NORTH AMERICA +800 499 6544 • UNITED STATES +1 847 267 9330 • GERMANY +49 89 4629 0

UNITED KINGDOM +44 0 1189 848 000 • AUSTRALIA +61 2 9026 3400

About OpenText

OpenText enables the digital world, creating a better way for organizations to work with information, on-premises or in the cloud. For more information about OpenText (NASDAQ/TSX: OTEX), visit opentext.com.

Connect with us:

[OpenText CEO Mark Barrenechea's blog](#)

[Twitter](#) | [LinkedIn](#)

www.opentext.com

NORTH AMERICA +800 499 6544 • UNITED STATES +1 847 267 9330 • GERMANY +49 89 4629 0

UNITED KINGDOM +44 0 1189 848 000 • AUSTRALIA +61 2 9026 3400